



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov



Bib Data Sheet

CONFIRMATION NO. 8275

| | | | | |
|-----------------------------|---------------------------------------|--------------|------------------------|----------------------------------|
| SERIAL NUMBER 10/754,496 | FILING DATE 01/12/2004 RULE | CLASS 359 | GROUP ART UNIT 3663 | ATTORNEY DOCKET NO. Q78896 |
|-----------------------------|---------------------------------------|--------------|------------------------|----------------------------------|

APPLICANTS

Dominique Mongardien, Antony, FRANCE;
 Catherine Martinelli, Palaiseau, FRANCE;
 Dominique Bayart, Clamart, FRANCE;

** CONTINUING DATA ***** NONE *me*

** FOREIGN APPLICATIONS ***** YES *me*
 EUROPEAN PATENT OFFICE (EPO) 03 360 006.5 01/13/2003

IF REQUIRED, FOREIGN FILING LICENSE GRANTED
 ** 04/13/2004

| | | | | | |
|---|---|-------------------------------|------------------------|-----------------------|----------------------------|
| Foreign Priority claimed 35 USC 119 (a-d) conditions met | <input checked="" type="checkbox"/> yes <input type="checkbox"/> no <input checked="" type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> Met after Allowance | STATE OR COUNTRY FRANCE | SHEETS DRAWING 2 | TOTAL CLAIMS 10 | INDEPENDENT CLAIMS 2 |
| Verified and Acknowledged | Examiner's Signature <i>Mark Heller</i> Initials | | | | |

ADDRESS
 23373
 SUGHRUE MION, PLLC
 2100 PENNSYLVANIA AVENUE, N.W.
 SUITE 800
 WASHINGTON, DC
 20037

TITLE
 Raman amplifier and method for pumping a Raman amplifier

| | | |
|------------|---|--|
| FILING FEE | FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT No. _____ for following: | <input type="checkbox"/> All Fees |
| RECEIVED | | <input type="checkbox"/> 1.16 Fees (Filing) |
| | | <input type="checkbox"/> 1.17 Fees (Processing Ext. of time) |